

## Grace, Pamela

---

**From:** Derek <dobratz11@gmail.com>  
**Sent:** Friday, July 13, 2018 2:37 AM  
**To:** Grace, Pamela  
**Subject:** Compliance request for 5615 W Lloyd St. Derek Dobratz

Dear Ms. Pamela Grace;

I am hoping that with the information that I recently provided you via email will allow the EPA to conduct an investigation into my previous residence/ landlords disclosure violations: located at 5615 W Lloyd St. Milwaukee, WI 53208.


Also, after searching the Milwaukee public records I noticed that the City of Milwaukee has marked this property as "Abated" as of 7/11/18. Can you please double check this? I'd like to know that this property is in complete compliance with EPA standards, hoping that no future tenant will be exposed to these lead hazards. I also hope that my neighbor Patti who lives in the downstairs unit was informed about the abatement repairs that were made, the repairs occurred over these last 2 weeks.

Please keep me updated.

Thank you.

Sincerely,

Derek Dobratz



Directory ▾

Residents

Business

Visitors



SEARCH

## Online Services

Announcements Register for an A

3461296000

Home

Building

Development

**Enforcement**

Licenses

Public Works

Create an Application

Search Records

**Record ORD-18-03565:**

**Order Violation**

**Record Status: Closed**

Record Info ▾

Payments ▾

### Processing Status

The green checkmark indicates a completed task. An hour glass indicates an active task. The right arrow and/or plus symbol indicate that additional information can be viewed by clicking on the symbol.

- ✓ ▶ Generate Order
- ✓ ▶ Contact Attempt
- ✱ ▾ Re-Inspection

Assigned to **Ernest Martin**

Marked as **Abated** on **07/11/2018** by **Ernest Martin**

Adjudication

Monthly Re-Inspection